

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	20655	wireless\$3 near4 (power\$3 or voltage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 09:55
L2	19891	wireless\$3 near4 (power\$3 or ((flux or coil) near4 voltage))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 09:44
L4	6146	(sensor or actuator or motor or control\$4) with 2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 09:48
L5	258543	(\$5lithograph\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 09:45
L6	279588	(expos\$5) with (substrate or wafer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 09:46
L7	247128	(substrate or wafer) same (mask or reticle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 09:46
L8	310322	5 or (6 and 7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 09:46

## EAST Search History

L9	109	4 and 8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 09:46
L10	6524	(sensor or actuator or motor or control\$4) with 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 10:03
L11	122	10 and 8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 10:04
L12	7996	(signal same electromagnetic same transducer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 10:05
L13	15	11 and 12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 10:04
L14	32	((wireless\$3 near4 (power\$3 or voltage)) and (signal) and (transmit\$5 or send\$3) and (electromagnetic) and (transducer or flux or coil)).clm.	US-PGPUB	OR	ON	2006/12/19 09:57
L16	1	((wireless\$3 near4 (power\$3 or voltage)) and (signal) and (transmit\$5 or send\$3 or pattern\$3 or project\$3 or position\$3) and (electromagnetic) and (transducer or flux or coil) and (sensor or actuator or motor or control\$4) and (5 or 6)).clm.	US-PGPUB	OR	ON	2006/12/19 10:17
L17	0	14 and 13	US-PGPUB	OR	ON	2006/12/19 10:00

## EAST Search History

L18	12	((power\$3 or voltage) and (signal) and (transmit\$5 or send\$3 or pattern\$3 or project\$3 or position\$3) and (electromagnetic) and (transducer or flux or coil) and (sensor or actuator or motor or control\$4) and (5 or 6)). clm.	US-PGPUB	OR	ON	2006/12/19 10:17
L19	1934278	(sensor or actuator or motor or control\$4) with (power\$3 or voltage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 10:03
L20	48244	19 and 8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 10:04
L21	176	20 and 12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 10:04
L22	161	21 not 13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 10:04
L23	509	(signal same electromagnetic same transducer) with (power\$3 or voltage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 10:07
L24	20	22 and 23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/19 10:07

## EAST Search History

L25	12	((power\$3 or voltage) and (signal) and (transmit\$5 or send\$3 or pattern\$3 or project\$3 or position\$3) and (electromagnetic) and (transducer or flux or coil) and (sensor or actuator or motor or control\$4) and (5 or 6)).clm.	US-PGPUB	OR	ON	2006/12/19 10:17
L26	1	((wireless\$3 near4 (power\$3 or voltage)) and (signal) and (transmit\$5 or send\$3 or pattern\$3 or project\$3 or position\$3) and (electromagnetic) and (transducer or flux or coil) and (sensor or actuator or motor or control\$4) and (5 or 6)).clm.	US-PGPUB	OR	ON	2006/12/19 10:17

PK  
12/19/06